

## **SAFETY DATA SHEET**

*According to the Committee's Regulation (EU) 453/2010*

### **SECTION 1: Identification of the substance/mixture and of the company**

---

#### **1.1. Product identifier:**

**Trade name** **ANSERTHERM TP01**

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against:**

**Relevant identified uses** is intended for use in the production of mattresses for gluing pockets (pocket parts).

**Uses advised against**

-

#### **1.3. Details of the supplier of the safety data sheet**

Zakłady Chemiczne „ANSER” Sp. z o.o.  
ul. J. Conrada 7, 01-922 Warszawa  
ph.: +48 22 663 70 73, fax: +48 22 669 01 22

e-mail address of the competent person responsible for the safety data sheet: reach@anser.pl

#### **1.4. Emergency telephone number:**

**112** (24h)

### **SECTION 2: Hazards identification**

---

#### **2.1. Classification of the substance or mixture**

The mixture is not classified as hazardous according to the Regulation of the European Council 1999/45/EC.

#### **Harmful effects for human health**

The product is processed after melting. There is a risk of scalding.

#### **Harmful effects for the environment**

Unknown.

#### **Harmful effects related to physical-and-chemical properties**

Unknown.

#### **2.2. Elements of labelling**

Does not apply.

#### **2.3. Other hazards**

Substances contained in the mixture do not meet PBT and vPvB criteria in line with schedule 13<sup>th</sup> of the Regulation REACH.

### **SECTION 3: Composition/information on ingredients**

---

The product does not contain substances classified as hazardous or substances for which the highest allowed concentrations were set in work environments in concentrations which, pursuant to binding law provisions, need to be considered in the sheet or substances for which the highest workplace concentrations were set.

---

## **SECTION 4: First aid measures.**

---

### **4.1. Description of first aid measures**

#### In case of exposure via respiratory tract

- Leave exposure area (or take the injured out of the exposure area).
- Assure peace and quiet to the injured as well as access to fresh air.
- In case of breathing difficulty, give oxygen.
- In case of breath arrest, apply artificial respiration.
- In case of cardiac arrest, resuscitate.
- Assure medical assistance.

#### In case of exposure through contact with the eyes

- Remove contact lenses.
- Do not use neutralizers.
- Wash with plenty of cool water for about 15 minutes with the lids open (avoid strong water stream due to the risk of damaging the cornea mechanically)
- In case of any adverse symptoms consultation with an oculist is necessary.

#### In case of exposure via alimentary tract

- Do not provoke vomiting.
- Rinse the mouth with water.
- Consult the doctor.

### **4.2. The most important acute and delayed symptoms and effects of exposure**

Vapours forming in the temperature of product processing (>100°C) may be irritating to the respiratory tract. In contact with the eyes, the granules may irritate mechanically.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Decision as to the rescue procedure shall be taken by the doctor after careful examination of the condition of the injured.

---

## **SECTION 5: Fire-fighting measures.**

---

Proceed in line with the Fire Safety Instruction, if the recipient does not have one, the persons on the site shall be notified about the failure. All persons not participating in repairing the failure shall be removed from the area at risk. Evacuation shall be ordered if needed. Small fires shall be put out with extinguishers on hand, in case of big fires, State Fire Service and the Police shall be notified.

### **5.1. Extinguishing media**

Appropriate extinguishing media: extinguishing powders and foams, carbon dioxide, water.

Inappropriate extinguishing media: no data.

**Minor fire:** extinguish with carbon dioxide, extinguishing powders and foam.

**Major fire:** Containers at risk of being affected by fire or high temperature shall be cooled with water from a safe distance; if possible they shall be removed from the area at risk.

### 5.2. Special risks related to the mixture

The product is flammable. In fire carbon oxides may form among other compounds. Avoid inhaling products of combustion.

Prevent leakage and extinguishing means and water from getting into the ground water, potable water intakes and sewage system.

### 5.3. Information for the fire services

The use of protective clothing with an independent breathing apparatus is recommended.

## ***SECTION 6: Proceeding in the event of accidental release to the environment***

---

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For persons not belonging to the personnel giving assistance

Limit access of outsiders to the emergency area until appropriate cleaning procedures have been completed. Avoid inhaling dust.

#### For persons giving assistance

Protect containers against overheating. Declare an unconditional ban on smoking and use of flash tools. Avoid inhaling dust. Use protective gloves and clothing in case of prolonged exposure and big release.

### 6.2. Precautions related to environment protection

Do not let the product get to the sewage system, ground or surface waters.

### 6.3. Methods and materials preventing the spread of contamination and aimed at removing contamination

- Protect drains.
- If possible, remove leakage (cut off liquid, place damaged packaging in a sealed protective container). Spilled product shall be collected to closed container and delivered for recovery or neutralization to competent units.

### 6.4. References to other sections

Personal protection means – section 8.

Waste shall be removed in line with the binding law provisions – section 13.

## ***SECTION 7: Mixture handling and storage***

---

### 7.1. Precautions for safe handling

During usage observe basic principles of hygiene of work with chemical products: do not eat or drink, avoid contact with the product, inhaling dust, contaminating eyes and skin. During breaks at work wash hands. The product is used after it has been heated to high temperature – there is a risk of scalding. The product is used melted, a especially in temperature higher than recommended it may release smoke and vapours that is why job post shall be well ventilated. Mechanical ventilation with spot air extractor, which

prevents the emission of vapours and smoke at the source of their formation and prevents their further spread to the environment. Equip personnel with personal protection means – see section 8.

### **7.2. Conditions of safe storage including information on any mutual nonconformities**

Store in original appropriately marked and tightly closed packaging in dry, shadowed locations, in temperature between +5 and +24°C. Guarantee period – 12 months after production date. Do not store in immediate vicinity of heat sources.

*Additional information in section 10.*

### **7.3. Specific end uses**

None.

## ***SECTION 8: Exposure controls/personal protection means***

---

### **8.1. Control parameters**

Allowed concentrations at work environment. No data for the product. The product does not contain ingredients for which the maximum concentration values at work environment have been set.

(Regulation of the Labour and Social Policy Minister of November 29<sup>th</sup> 2002 on the highest allowed concentrations and intensities of agents hazardous for the health in work environment, Journal of Laws 2002 No 217 item 1833 as amended).

#### Recommended monitoring procedures

Regulation of the Health Minister of February 2011 on examining and measuring health hazardous agents in work environment (Journal of Laws 2011 No 33 item 166).

### **8.2. Exposure control**

#### Applied technical protection measures

Information provided in section 7.

#### Personal protection measures:

Eyes or face protection: protective glasses.

- hand protection: protective gloves.

- other: protective clothing.

- other: appropriate protective clothing.

Respiratory protection: in case of insufficient ventilation use masks with dust and organic vapours absorbers (exceeding recommended temperature may cause vapour release).

Thermal risks: use protective means described above.

#### Environment exposure protection

Mixture shall not access ground waters, sewage or soil.

## ***SECTION 9. Physical and chemical properties.***

---

### **9.1. Information about general physical and chemical properties**

• Form	light yellow, transparent solid substance (granules)
• Odour	characteristic
• Odour threshold	no data
• pH	no data
• Melting/solidification point	no data
• Boiling temperature	no data
• Flash point	no data
• Evaporation rate	no data
• Flammability (of solid substance, gas)	flammable
• Lower explosive/combustion limit	no data
• Upper explosive/combustion limit	no data
• Vapour pressure	no data
• Vapour density	no data
• Density	0.99 ± 0.02 g/cm <sup>3</sup>
• Solubility in water	not soluble in water, dissolves well in some organic solvents
• Partition coefficient: n-octanol/water	no data
• Self-ignition temperature	the product does not ignite on its own
• Decomposition temperature	no data
• Viscosity Brookfield's metod	2,500 ± 1,000 mPa*s (150°C)
• Explosive properties	no data
• Oxidizing properties	no data

## 9.2. Other information

- |                            |           |
|----------------------------|-----------|
| • Temperature of softening | 102 ± 2°C |
|----------------------------|-----------|

## SECTION 10: Stability and reactivity

---

### 10.1. Reactivity

The product is not reactive under normal conditions.

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

High temperature.

### 10.5. Incompatible materials

Strong oxidizers.

### 10.6. Hazardous decomposition products

Do not occur under normal conditions.

---

**SECTION 11: Toxicological information.**

---

**11.1. Information on toxicological effects**

Acute toxicity: no data for the product.

Irritating effect: based on the data available, classification criteria are not met.

Caustic effect: based on the data available, classification criteria are not met.

Allergenic effect: based on the data available, classification criteria are not met.

Repeated dose toxicity: based on the data available, classification criteria are not met.

Carcinogenicity: based on the data available, classification criteria are not met.

Mutagenicity: based on the data available, classification criteria are not met.

Toxicity to reproduction: based on the data available, classification criteria are not met.

**Information on likely routes of affecting**

Swallowing: no data.

Inhaling: Vapours released at the temperature at which the product is processed (>100°C) may irritate the respiratory tract.

Skin exposure: no data.

Eye exposure: In result of contact with the eyes, product granules may mechanically irritate the eyes.

**Symptoms related to physical, chemical and toxicological properties:** no data.

**Delayed, immediate and prolonged effects of short- and long-term exposure:** no data

**Consequences of mutual interaction:** no data.

**Other information:** no data.

---

**SECTION 12: Ecological information**

---

**12.1. Toxicity:**

No data for the product.

**12.2. Persistence and degradability**

No data.

**12.3. Bio-accumulative potential**

No data.

**12.4. Mobility in soil**

No data.

**12.5. Results of PBT and vPvB assessment**

The mixture's ingredients do not fulfil PBT and vPvB criteria.

**12.6. Other adverse effects**

Unknown.

---

**SECTION 13: Disposal considerations.**

---

**13.1. Waste treatment methods**

If possible, waste shall be recovered.

Do not allow the contamination of surface and ground waters. In line with the law regulation in force in Poland, waste may be collected, neutralized, recovered or recycled only by authorised companies, and it may be given only to such companies. In case of doubt, waste disposal procedures shall be discussed and agreed with the local Environment Protection Inspection unit.

**Removal of mixture:** Consider recycling.

**Waste code:** 08 04 10 Wastes from adhesives and sealants other than listed in 08 04 09.

**Disposal of packaging:** recycling or neutralization of packaging waste shall be done in line with the binding law regulations. Multi-use packaging shall be re-used after cleaning. Waste shall be neutralized in professional authorised incinerating plants or waste neutralization plants. Clean packaging may be disposed of as ordinary packaging waste.

**Waste code:** 15 01 02 – Plastic packaging.

The Environment Minister Regulation of 27 September 2001 on waste catalogue (Journal of Laws of 2001 no 112, item 1206).

The Act of 11 May 2001 on packaging and Packaging waste (Journal of Laws of 2001 no 63, item 638 as amended).

---

#### **SECTION 14: Transport information.**

---

This product is not subject to regulations on the transport of dangerous goods.

Transport by road

<b>14.1. UN Number</b>	does not apply
<b>14.2. Proper UN transport name</b>	does not apply
<b>14.3. Hazard class in transport</b>	does not apply
<b>14.4. Packaging group</b>	does not apply
<b>14.5. Environmental risk</b>	unknown
<b>14.6. Special precautions</b>	while manipulating the cargo, use protection means in line with SECTION 8.
<b>14.7. Bulk transport pursuant to schedule II to the convention MARPOL 73/78 and IBC code</b>	no data

---

#### **SECTION 15: Regulatory information.**

---

##### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The Regulation of the Minister of Health of 21 December 2005 on essential requirements for individual protection measures (Journal of Laws of 2005 No. 259, item 2173).

The Act of 25 February 2011 on chemical substances and their mixtures (Journal of Laws of 2011 no. 63 item 322).

The Regulation of the Minister of Health of 20 April 2012 on labelling containers with hazardous substances, preparations and some chemical preparations (Journal of Laws of 2012 No. 0 item 445).

Directive 1999/45/EC of the European Parliament and Council of 31 May 1999 on harmonising the regulatory, executive and administrative provisions of Member States relating to the classification, labelling and packaging of hazardous substances and mixtures.

Regulation (EC) No 1907/2006 of the European Parliament and Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Regulation of the European Parliament and Council (EC) no. 1272/2008 of 16 December 2008 on the classification, labelling and packaging of hazardous substances and mixtures amending and repealing directives 67/548/EEC and 1999/45/EC and amending the directive (EC) no. 1907/2006 (Official Journal EU series L 353 of 31 December 2008 as amended).

Directive of the Committee (EC) no. 790/2009 of 10 August 2009 adjusting the Directive of the European Parliament and Council (EC) no. 1272/2008 of 16 December 2008 on the classification, labelling and packaging of substances and mixtures, to the technical-and-scientific progress.

Regulation of the Committee (EC) no. 453/2010 of 20 May 2010 amending the regulation No. 1906/2006 of the European Parliament and Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

European agreement on international transport of dangerous goods by road ADR (in force since January 1, 2005) (Journal of Laws of 2005, No. 178, item 1481).

The Act of 19 August 2011 on the transport of dangerous goods by road (Journal of Laws of 2011 no. 227, item 1367 as amended).

The Regulation of the Minister of Health of June 11, 2012 on the categories of hazardous substances and mixtures, whose packaging shall be equipped with locks preventing children from opening it and warning information sensed by touch (Journal of Laws of 2005 No. 0, item 688).

Regulation of European Chemicals Agency of 16 June 2014 (ECHA/PR/13/40) concerning substances of very high concern (SVHC)

## **15.2. Chemical safety assessment**

The producer of the mixture did not provide the evaluation of chemical safety.

## ***SECTION 16: Other information.***

---

### *The explanation of abbreviations and acronyms used in the safety data sheet*

PBT – Persistent, Bio-accumulative, Toxic.

vPvB – very Persistent and very Bio-accumulative.

### *References to key literature and sources*

Safety data sheet of the mixture's ingredients. Data base of the European Commission Joint Research Centre.

Legal regulations.

Recommendations with regard to employee trainings

Prior to commencement of work, the employee shall be trained as regards Work Safety and Hygiene in respect of handling chemicals and receive appropriate on the job training.

Persons handling the transport of hazardous materials shall be trained in respect of safety and receive appropriate on the job training.